
WETHEPEOPLE

RADIO

RADIO
R A C E L I N E

ZUMA

 **amstler**
— bikes & parts —
est. 1865

SWITZERLAND

INHALT

WETHEPEOPLE BMX FREESTYLE 01 - 15

RADIO BMX FREESTYLE/DIRT/MTB 16 - 41

ZUMA by RADIO (KIDS-MTB) 42 - 55

RADIO RACELINE BMX RACE 56 - 63

INHALT WTP

INTRO

WETHEPEOPLE startet die Saison mit einer Serie von Komplettträgern, die vor Farben, Visionen und technischen Innovationen nur so strotzen und dabei dieselbe Qualität und Handwerkskunst aufweisen, hinter der wir seit über 25 Jahren mit Stolz stehen.

Seiten:

- 02 - 03 PRIME 12" - RIOT 14"
- 04 - 05 SEED 16" - THRILLSEEKER
- 06 - 07 CRS 18"
- 08 - 09 CRS 20" - CRS FC 20"
- 10 - 11 JUSTICE 20" - REASON 20"
- 12 - 13 CRYISIS 20" - VERSUS 20"
- 14 - 15 TRUST CS 20" - AVENGER 27.5"

Sie finden alle unsere Fahrräder für das neue Jahr in einer riesigen Auswahl an originellen und inspirierenden Oberflächen und Farbvarianten wieder. Wir haben uns auch die Zeit genommen, unsere Bikes mit einigen unserer neuesten Nachrüstprodukte zu aktualisieren, die wir hier in Köln entwickelt haben und sie so zu verfeinern, dass sie sich einfach anders fahren als alles andere da draußen.

Unsere THRILLSEEKER-Serie von Einsteiger-Bikes hat bei ihrer Einführung hohe Wellen geschlagen. Mit 4 Größen ist diese Serie ein großer Erfolg in den Fahrradgeschäften und bietet ein unschlagbares Preis-Leistungs-Verhältnis. Sie sind perfekt für Fahranfänger, die ein Rad brauchen, das ihnen wie ein Handschuh passt und alles bietet, was ein modernes BMX-Rad haben sollte, und noch viel mehr...

Wir waren schon immer stolz darauf, ein möglichst komplettes Sortiment an Fahrrädern zu haben und für jeden BMX-Fahrer ein passendes Rad anbieten zu können, das seinen Bedürfnissen und Wünschen entspricht. Vom Skatepark-fokussierten VERSUS bis hin zu den abgespeckten PRIME 12" und RIOT 14" Bikes - keine Marke bietet eine solche Vielfalt an Bikes, wie **WETHEPEOPLE** sie Jahr für Jahr mit der gleichen Liebe zum Detail und unvergleichlicher Qualität liefert.

An unseren Rädern finden Sie eine Vielzahl von Original-Ersatzteilen von **WETHEPEOPLE**, darunter den Activate-Reifen, das Logic-Pedal, das Paragon-Ritzel und die Perfect-Grips. In diesem Jahr haben wir ECLAT's Complex Combo Seats und Shift Freecoaster Naben mit Hybrid System Technologie eingeführt, die es vielen unserer Bikes ermöglicht, nahtlos von Freecoaster auf Kassette zu wechseln - alles in einer Nabe. Die "Trickle-Down-Technologie" war schon immer ein Grundpfeiler unserer kompletten Bike-Linie, und wir freuen uns sehr, dass wir nun das Beste aus der Freecoaster-Technologie in eine Auswahl unserer Modelle einbauen können.

Eine Bike-Linie, die seit mehr als zwei Jahrzehnten nach den höchsten Standards entworfen und entwickelt wird. Genießen Sie eine Auswahl dessen, was **WETHEPEOPLE** für 2024 zu bieten hat.



PRIME 12"

FRAME	WETHEPEOPLE "PRIME" frame, 1020 hi-ten
FORK	SALT "PRIME" fork, 1020 hi-ten, 26mm offset
BARS	SALT "PRIME" bar, 1020 hi-ten
GRIPS	SALT "PRIME" grips
STEM	SALT "PRIME" frontload stem, 30mm reach
HEADSET	SALT "AM" A-headset, 1" loose ball
GYRO	-
LEVER	-
BRAKES	-
CRANKS	-
BB	-
PEDALS	-
CHAIN	-
SPROCKET	-
DRIVER	-
FRONT HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
REAR HUB	SALT "PRIME" hub, alloy, loose ball, 3/8"s axel, 16h
HUB GUARDS	-
FRONT RIM	SALT "BEAM" rim, single wall, 16h
REAR RIM	SALT "BEAM" rim, single wall, 16h
SEAT	WETHEPEOPLE „PRIME“ combo seat, alloy post
SEAT POST	-
SEAT CLAMP	SALT "AM" seat clamp, alloy
TIRES	KENDA "KONTACT" tires, 1.75", front & rear
PEGS	-
WEIGHT	4.45kg



● turbo blue

FRAME GEOMETRY

A - TOP TUBE LENGTH	12.2"
B - CHAIN STAY LENGTH	8.15"
C - HEAD TUBE ANGLE	72°
D - SEAT TUBE ANGLE	70°
E - BB HEIGHT	-
F - STANDOVER HEIGHT	4.72"

BAR GEOMETRY

G - BAR RISE	5.15"
H - BAR WIDTH	19.7"
I - BAR BACKSWEEP	9°
J - BAR UPSWEEP	2.5°

RIOT 14"

FRAME	WETHEPEOPLE "RIOT" frame, 1020 hi-ten
FORK	SALT "RIOT" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BAR	SALT "RIOT" bar, 1020 hi-ten
GRIPS	WETHEPEOPLE "ARROW 110" grips, flangeless
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "RIOT" brake lever, alloy
BRAKES	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
CRANKS	SALT "RIOT" tubular 3pc crank, crmo, 114mm, 16 spline, hollow spindle
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	SALT "JUNIOR PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 10t, loose ball bearing
FRONT HUB	SALT "RIOT" hub, alloy, loose ball, 3/8"s axle, 20h
REAR HUB	SALT "RIOT" cassette hub, semi sealed, 10t, 3/8"s axle, 20h
HUB GUARDS	-
FRONT RIM	SALT "BEAM" rim, single wall, 20h
REAR RIM	SALT "BEAM" rim, single wall, 20h
SEAT	WETHEPEOPLE "RIOT" junior combo seat
SEAT POST	-
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.0", front & rear
PEGS	-
WEIGHT	8.42kg



● matt black

FRAME GEOMETRY

A - TOP TUBE LENGTH	14"
B - CHAIN STAY LENGTH	10.25"
C - HEAD TUBE ANGLE	74°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	8.25"
F - STANDOVER HEIGHT	6.5"

BAR GEOMETRY

G - BAR RISE	6.5"
H - BAR WIDTH	22.4"
I - BAR BACKSWEEP	8°
J - BAR UPSWEEP	2.5°

SEED 16"

FRAME	WETHEPEOPLE "SEED" frame, 1020 hi-ten
FORK	SALT "AM 16" fork, 1020 hi-ten, 4130 crmo steerer, 28mm offset
BARS	SALT "SEED" bar, 1020 hi-ten
GRIPS	WETHEPEOPLE "ARROW 130" grips, flangeless
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "SEED" brake lever, alloy, front & rear
BRAKES	SALT "AM" alloy caliper brake, front / SALT "AM" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 127mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	SALT "JUNIOR PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 10t, loose ball bearing
FRONT HUB	SALT "SEED" hub, alloy, loose ball 3/8"s axle, 28h
REAR HUB	SALT "SEED" cassette hub, semi sealed, 10t, 14mm hollow axle, 28h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 28h
REAR RIM	SALT "FRACTION" rim, single wall, 28h
SEAT	WETHEPEOPLE "SEED" pivotal seat
SEAT POST	SALT "AM" pivotal seat post, alloy
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	9.66kg



● matt black

FRAME GEOMETRY

A - TOP TUBE LENGTH	16"
B - CHAIN STAY LENGTH	11"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	9.75"
F - STANDOVER HEIGHT	6.67"

BAR GEOMETRY

G - BAR RISE	6.77"
H - BAR WIDTH	23.6"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°

THRILLSEEKER

SMALL, MEDIUM
LARGE, X-LARGE

FRAME	WETHEPEOPLE "THRILLSEEKER" frame, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BAR	SALT "THRILLSEEKER" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "AM" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "ROOKIE" brake lever, alloy
BRAKES	SALT "ROOKIE" alloy u-brake, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, loose ball bearing
FRONT HUB	SALT "THRILLSEEKER" hub, alloy, loose ball, 3/8"s axle, 36h
REAR HUB	SALT "THRILLSEEKER" cassette hub, semi sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "ROOKIE" rim, single wall, 36h
REAR RIM	SALT "ROOKIE" rim, single wall, 36h
SEAT	WETHEPEOPLE "THRILLSEEKER" combo seat, mid padded
SEAT POST	-
SEAT CLAMP	SALT "ROOKIE" seat clamp, alloy
TIRES	SALT "STRIKE" tires, 2.35", front & rear
PEGS	-
WEIGHT	S: 11.2 kg / M: 11.4 kg / L: 11.5 kg / XL: 11.6 kg



● black

FRAME GEOMETRY

A - TOP TUBE LENGTH	S: 19", M: 20", L: 20.5", XL: 21"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	74.5°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.7°
F - STANDOVER HEIGHT	8.25"

BAR GEOMETRY

G - BAR RISE	S: 8.25", M: 8.5", L-XL: 9"
H - BAR WIDTH	S: 27.5", M: 28", L-XL:
I - BAR BACKSWEEP	28.85" 11°
J - BAR UPSWEEP	2.5°

CRS 18"

FRAME	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BARS	SALT "CRS 18" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 138mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALT "AM" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	WETHEPEOPLE "CRS 18" pivotal seat
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	10.92kg

FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°



● matt black



● translucent red

CRS FS 18"

FRAME	WETHEPEOPLE "CRS 18" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 18" fork, 1020 hi-ten, 4130 crmo steerer, 26mm offset
BAR	SALT "CRS 18" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 138mm, flangless
STEM	SALT "AM" topload stem, 45mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	SALT "AM" rotor
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALT "AM" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 152mm, 8 spline
BB	SALT "SPANISH" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	WETHEPEOPLE "CRS 18" pivotal seat
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	11.08kg



● metallic soda green

FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°

CRS 20"

FRAME	WETHEPEOPLE "CRS 20" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BARS	SALT "CRS 20" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "PRO" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "AM" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, mid padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.14kg



● matt black

FRAME GEOMETRY

A - TOP TUBE LENGTH	18"
B - CHAIN STAY LENGTH	11.65"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	10.75"
F - STANDOVER HEIGHT	7.5"

BAR GEOMETRY

G - BAR RISE	8"
H - BAR WIDTH	26.77"
I - BAR BACKSWEEP	10°
J - BAR UPSWEEP	3°

CRS^{FC 20"}

FRAME	WETHEPEOPLE "CRS 20" frame, 4130 crmo down tube, 1020 hi-ten
FORK	SALT "AM 20" fork, 1020 hi-ten , 4130 crmo steerer, 26mm offset
BAR	SALT "CRS 20" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, 154mm, flangless
STEM	SALT "PRO" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	SALT "ROOKIE" tubular 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SURGE" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	SALT "GATEWAY" sprocket, steel, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	-
FRONT RIM	SALT "FRACTION" rim, single wall, 36h
REAR RIM	SALT "FRACTION" rim, single wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, mid padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	ÉCLAT "PURE" seat clamp, 6061-T6 forged alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.31kg



● matt translucent blue

FRAME GEOMETRY

A - TOP TUBE LENGTH	20.25"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71.5°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	8.4"

BAR GEOMETRY

G - BAR RISE	8.85"
H - BAR WIDTH	29"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2°

JUSTICE 20"

FRAME	WETHEPEOPLE "JUSTICE" frame, 4130 trimoly, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "JUSTICE" fork, 4130 full crmo , butted crmo steerer, 22mm offset
BARS	SALTPLUS "HQ" bar, full 4130 crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	SALT "ZION" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALT "REVO" square profile 3pc crank, crmo, 165mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALT "VALON" rim, single wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI , front & rear
PEGS	-
WEIGHT	11.61kg



 matt black / matt raw fade

FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°

REASON 20"

FRAME	WETHEPEOPLE "REASON" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "REASON" fork, 4130 full crmo, butted crmo steerer, 15mm offset
BAR	WETHEPEOPLE "REASON" bar, 4pc, 4130 full crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	SALT "ZION" topload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "AM" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALT "REVO" square profile 3pc crank, crmo, 160mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	WETHEPEOPLE "LOGIC" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, Z1 type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc freecoaster driver, 9t, sealed bearing
FRONT HUB	SALT "PRO" hub, fully sealed, 3/8"s male axle, 36h
REAR HUB	SALT "PRO" freecoaster hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALT "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALT "VALON" rim, single wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post
SEAT CLAMP	integrated seat clamp
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 60PSI, front & rear
PEGS	SALT "AM" pegs, steel, 4.15" long, x2
WEIGHT	12.33kg



● matt translucent purple

FRAME GEOMETRY

A - TOP TUBE LENGTH	20.75"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	76°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.75"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	3°

CRYSIS 20"

FRAME	WETHEPEOPLE "CRYSIS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
FORK	SALTPLUS "CRYSIS" fork, 4130 full crmo, 4130 crmo steerer, 26mm offset
BAR	SALTPLUS "CRYSIS" bar, 2pc, 4130 full crmo
GRIPS	WETHEPEOPLE "PERFECT" grips, 165mm, flangeless
STEM	WETHEPEOPLE "LOGIC" frontload stem, full cnc, 48mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "SLASH" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post, 150mm, alloy
SEAT CLAMP	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
TIRES	WETHEPEOPLE "OVERBITE" tires, 2.35", front & rear
PEGS	-
WEIGHT	11.94kg



FRAME GEOMETRY

A - TOP TUBE LENGTH	20.5" 21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.65"
F - STANDOVER HEIGHT	8.75" 9"

BAR GEOMETRY

G - BAR RISE	9.7"
H - BAR WIDTH	29.5"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2.5°

● metallic champagne

VERSUS^{20"}

FRAME	WETHEPEOPLE "VERSUS" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides
FORK	SALTPLUS "VERSUS" fork, 4130 full crmo, butted crmo steerer, 26mm offset
BAR	SALTPLUS "VERSUS" bar, 2pc, 4130 full crmo
GRIPS	WETHEPEOPLE "MANTA" grips, 160mm, flangeless, with ÉCLAT „TECH-BOLT“ barends
STEM	WETHEPEOPLE "INDEX" frontload stem, 50mm reach
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	SALTPLUS "GEO" rotor, cnc alloy, with SALT „DUAL“ upper cable
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake rear, alloy
CRANKS	SALTPLUS "ULTRA" square profile 3pc „TSS“ crank, crmo, 170mm, 8 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "CONTRA" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "LOGIC" sprocket, cnc, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	SALTPLUS "PRO" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	SALTPLUS "PRO" cassette hub, fully sealed, 9t, 14mm axle, 36h
HUB GUARDS	SALTPLUS "PRO" hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
REAR RIM	SALTPLUS "SUMMIT" rim, double wall, 36h
SEAT	ÉCLAT "UNIFY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	ÉCLAT "MIRAGE" tires, 2.25", front & rear
PEGS	WETHEPEOPLE "MESSAGE" pegs, 6061-T6 alloy, 4.15" long, x2
WEIGHT	12.15kg




FRAME GEOMETRY

A - TOP TUBE LENGTH	20.65"
B - CHAIN STAY LENGTH	12.75"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.55"
F - STANDOVER HEIGHT	7.75"

BAR GEOMETRY

G - BAR RISE	9"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	11°
J - BAR UPSWEEP	2.5°

 translucent red

TRUST CS 20"

FRAME	WETHEPEOPLE "TRUST" frame, 4130 full crmo, tapered SS & CS, with removable brake pivots & guides, 127mm head tube
FORK	SALTPLUS "TRUST" fork, 4130 full crmo, butted crmo steerer, 26mm offset
BARS	SALTPLUS "TRUST" bar, 4130 full crmo
GRIPS	ÉCLAT "SHOGUN" grips, flangeless, with ÉCLAT „TECH-BOLT“ barends
STEM	WETHEPEOPLE „HYDRA“ topload stem, cnc alloy, 50mm reach, 36mm rise
HEADSET	SALT "PRO" int. headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	SALT "MOTO" brake lever, alloy
BRAKES	ÉCLAT "TALON" u-brake, alloy, rear
CRANKS	SALTPLUS "ELITE" tubular 3pc crank, L&R, crmo, 170mm, 48 spline
BB	SALT "MID" bb, 19mm, press fit, sealed bearing
PEDALS	ÉCLAT "CENTRIC" pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE "PARAGON" sprocket & nylon guard, 6061-T6 alloy, 25t
DRIVER	1pc cassette driver, 9t, sealed bearing
FRONT HUB	ÉCLAT "CORTEX" hub, fully sealed, 3/8"s female bolts, 36h
REAR HUB	ÉCLAT "CORTEX" cassette hub, fully sealed, 9t drive, 14mm hollow axle, 36h
HUB GUARDS	ÉCLAT hub guards - nylon/fiberglass front (x2), nylon/fiberglass rear (x2)
FRONT RIM	ÉCLAT "TRIPPIN" rim, double wall, 36h
REAR RIM	ÉCLAT "TRIPPIN" rim, double wall, 36h
SEAT	ÉCLAT "BIOS" pivotal seat, fat padded
SEAT POST	SALT "AM" pivotal seat post, 150mm, alloy
SEAT CLAMP	WETHEPEOPLE "LOGIC" seat clamp, 4130 crmo
TIRES	WETHEPEOPLE "ACTIVATE" tires, 2.35", 100PSI, front & rear
PEGS	SALT "AM" nylon pegs, 4.5" long, x2
WEIGHT	12.22kg

FRAME GEOMETRY

A - TOP TUBE LENGTH	21"
B - CHAIN STAY LENGTH	13.2"
C - HEAD TUBE ANGLE	75.5°
D - SEAT TUBE ANGLE	71°
E - BB HEIGHT	11.7"
F - STANDOVER HEIGHT	9"

BAR GEOMETRY

G - BAR RISE	9.25"
H - BAR WIDTH	29.25"
I - BAR BACKSWEEP	12°
J - BAR UPSWEEP	2.5°



● matt black

AVENGER 27.5"

FRAME	WETHEPEOPLE "AVENGER" frame, 4130 full crmo
FORK	WETHEPEOPLE „AVENGER“ fork, 4130 full crmo, 33mm offset
BAR	WETHEPEOPLE "AVENGER" bar, 4130 full crmo
GRIPS	SALT "CLAMP ON" grips, 145mm, flangeless
STEM	WETHEPEOPLE „AVENGER“ topload stem, cnc, 1-1/8", 49mm reach
HEADSET	FSA "ORBIT UF-NO.2N" headset
GYRO	-
LEVER	SHIMANO "BL-MT200", disc brake lever
BRAKES	SHIMANO "BL-MT200", hydraulic disc brake with 160 mm rotors
CRANKS	SALT „AVENGER“ tubular 3pc „TSS“ crank, crmo, 175mm, 8 spline
BB	SALTPLUS „BSA“ (68mm) bb, 19mm, external, sealed bearing
PEDALS	WETHEPEOPLE „LOGIC“ pedals, nylon/fiberglass
CHAIN	WETHEPEOPLE "SUPPLY" chain, Z510HX type
SPROCKET	WETHEPEOPLE „PATROL“ sprocket, cnc, 6061-T6 alloy, 42t
DRIVER	cassette driver, 18t cog, sealed bearing
FRONT HUB	WETHEPEOPLE "AVENGER" disc front hub, fully sealed, M6 female bolts, 36h
REAR HUB	WTP "AVENGER" disc cassette hub, fully sealed, 3/8" female bolts, 36h
HUB GUARDS	-
FRONT RIM	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
REAR RIM	WETHEPEOPLE „AVENGER-DB-32“ rim, double wall, 27.5", 36h
SEAT	WETHEPEOPLE "AVENGER" railed seat
SEAT POST	WETHEPEOPLE „AVENGER“ seat post, 27.2mm, alloy
SEAT CLAMP	WETHEPEOPLE „AVENGER“ seat clamp, 29.8mm, forged alloy
TIRES	WTB „RANGER“ tires, 27.5"x 2.25", front & rear
PEGS	-
WEIGHT	14.80kg



● matt phosphate

FRAME GEOMETRY

A - TOP TUBE LENGTH	24.5"
B - CHAIN STAY LENGTH	18.75"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	68°
E - BB HEIGHT	bb drop 63mm
F - STANDOVER HEIGHT	-

BAR GEOMETRY

G - BAR RISE	4.3"
H - BAR WIDTH	31.1"
I - BAR BACKSWEEP	14°
J - BAR UPSWEEP	4°

Inhalt RADIO BMX/DIRT/PUMPTRACK/MTB


RADIO BIKES

Seiten

18 - 19	REVO 14" - REVO 16"
20 - 21	REVO 18"
22 - 23	REVO PRO FS 20"
24 - 25	DICE 14" - DICE 16"
26 - 27	DICE 18"
28 - 29	DICE 20"
30 - 31	EVOL 20" - SAIKO 20"
32 - 33	DARKO 20" - VALAC 20"
34 - 35	ASTRON 20" - COMRAD 20"
36 - 37	FIEND 26"
38 - 39	GRIFFIN 26"
40 - 41	GRIFFIN PRO 26"

Hier bei RADIO BIKES sind wir immer bestrebt, Ihnen die besten Fahrräder zum besten Preis anzubieten. Eines unserer Hauptziele ist es, neue Technologien und Designs einem breiten Publikum zugänglich zu machen. Das bestehende Sortiment wird laufend mit neuen Farben und Optionen erweitert, um eine der umfangreichsten Bike-Kollektionen auf dem Markt bieten zu können. Zudem bieten wir ein fast unschlagbares Verhältnis von Qualität und Wert.

Den Anfang macht die REVO-Linie, mit der du die BMX-Welt auf einem soliden und gut durchdachten Rad kennenlernen kannst. Wir haben bei der Auswahl der Komponenten für diese Räder besondere Sorgfalt walten lassen, um sicherzustellen, dass das Rad mit wenigen Handgriffen nach dem Auspacken direkt gefahren werden kann. Wir haben darauf geachtet, dass diese Räder einfach zu warten und zu pflegen sind, aber auch mit der Zeit leicht aufgerüstet werden können. Trotz des niedrigen Preises ist das REVO vollgepackt mit großartigen Features wie 25-9 Gängen, konischen Gabelbeinen und einer kurzen, reaktionsschnellen, von Profis inspirierten Geometrie.




THIS IS RADIO

Wir haben einige Köpfe verdreht, als wir die völlig neue DICE-Linie mit superleichten 6061-T6-Legierungsrahmen eingeführt haben, die kleineren Fahrern die Möglichkeit bietet, auf einem leichteren und wendigeren Fahrrad zu lernen. Dieses Konzept eines "leichteren Kinderfahrrads" ist in Größen von 14" bis 20" erhältlich und umfasst bei den kleineren Modellen sogar eine Leichtmetallkurbel, die diese Fahrräder noch leichter und anders als alles andere auf dem Markt macht.

Zwei der am meisten erwarteten Modelle jeder Saison sind unsere auf Dirt Jump/Slopestyle fokussierten Griffin und Griffin PRO Bikes. Mit einem komplett überarbeiteten Rahmen mit Gyro-Halterungen und unserem Nylock-Kurbelstoppersystem sind diese Bikes wirklich einzigartig und sofort wettbewerbsfähig. Aber auch das beliebte Pumptrack/Dirt/MTB Einstiegsmodell FIEND ist sehr beliebt.

Mit all dem und noch viel mehr können Sie sich ansehen, was RADIO BIKES für Sie und Radfahrer weltweit entwickelt hat.



REVO-14 INCH

FRAME	RADIO "REVO 14" frame, full 1020 hi-ten
FORK	RADIO "ROOKIE 14" fork, hi-ten
BAR	RADIO "REVO 14" bar, hi-ten
GRIPS	RADIO "JUNIOR" grips, flangeless, 110mm
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "JUNIOR 14" brake lever, alloy
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-V" v-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 1pc crank, forged, crmo, 102mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "JUNIOR" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 10t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 20h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 10t, 3/8" axle, 20h
FRONT RIM	SALT "AM" rim, straight single wall, 20h
REAR RIM	SALT "AM" rim, straight single wall, 20h
SEAT	RADIO "CENTURY" railed seat
SEAT POST	RADIO "AM" seat post, alloy, 250mm
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 14"x2.0", front & rear
PEGS	-
WEIGHT	8.825kg



lemon

A - TOP TUBE LENGTH	13.7"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	10.55"		
C - HEAD TUBE ANGLE	72°	G - RISE	6.5"
D - SEAT TUBE ANGLE	73°	H - WIDTH	22.4"
E - BB HEIGHT	7.5"	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	5.5"	J - UPSWEEP	2.5°

REVO-16 INCH

FRAME	RADIO "REVO 16" frame, full 1020 hi-ten
FORK	RADIO "ROOKIE 16" fork, hi-ten
BAR	RADIO "REVO 16" bar, hi-ten
GRIPS	RADIO "JUNIOR" grips, flangeless, 130mm
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "JUNIOR 16" brake lever, alloy
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-U" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 1pc crank, forged, crmo, 127mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 9t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 9T, 3/8" axle, 28h
FRONT RIM	SALT "AM" rim, straight single wall, 28h
REAR RIM	SALT "AM" rim, straight single wall, 28h
SEAT	RADIO "CENTURY" railed seat
SEAT POST	RADIO "AM" seat post, alloy, 250mm
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 16"x2.1", front & rear
PEGS	-
WEIGHT	9.95kg



surf blue

A - TOP TUBE LENGTH	16"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	11.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	6.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	23.6"
E - BB HEIGHT	9.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.6"	J - UPSWEEP	3°

REVO-18 INCH

FRAME	RADIO "REVO 18" frame, full 1020 hi-ten
FORK	RADIO "ROOKIE 18" fork, hi-ten
BAR	RADIO "REVO 18" bar, hi-ten
GRIPS	RADIO "JUNIOR" grips, flangeless, 130mm
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-U" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 1pc crank, forged, crmo, 152mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 9t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 9t, 14mm axle, 28h
FRONT RIM	SALT "AM" rim, straight single wall, 28h
REAR RIM	SALT "AM" rim, straight single wall, 28h
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 18"x2.1", front & rear
PEGS	-
WEIGHT	11.03kg



■ black

A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.7"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	7.3"	J - UPSWEEP	3°

REVO-18 INCH

FRAME	RADIO "REVO 18" frame, full 1020 hi-ten
FORK	RADIO "ROOKIE 18" fork, hi-ten
BARS	RADIO "REVO 18" bar, hi-ten
GRIPS	RADIO "JUNIOR" grips, flangeless, 130mm
STEM	SALT "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-U" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 1pc crank, forged, crmo, 152mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 9t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 28h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 9t, 14mm axle, 28h
FRONT RIM	SALT "AM" rim, straight single wall, 28h
REAR RIM	SALT "AM" rim, straight single wall, 28h
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 18"x2.1", front & rear
PEGS	-
WEIGHT	11.03kg



■ red

A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.7"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	7.3"	J - UPSWEEP	3°

REVO PRO FS-20 ^{INCH}

FRAME	RADIO "REVO PRO FS 20" frame, full 1020 hi-ten
FORK	RADIO "AM 20" fork, 1020 hi-ten, crmo steerer, welded pivots
BAR	RADIO "REVO PRO FS 20" bar, hi-ten
GRIPS	RADIO "AM" grips, flangeless, 150mm
STEM	SALT "AM" frontload stem, 48mm reach
HEADSET	FSA A-headset, loose ball
GYRO	SALT "AM" rotor with SALT "AM" rotor cables
LEVER	RADIO "AM" brake lever, alloy, front & rear
BRAKES	RADIO "AM" u-brakes, alloy, front & rear
CRANKS	RADIO "ROOKIE" 3pc crank, forged, crmo, 170mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 9t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 36h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 9T, 14mm axle, 36h
FRONT RIM	SALT "AM" rim, straight single wall, 36h
REAR RIM	SALT "AM" rim, straight single wall, 36h
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 20"x2.2", front & rear
PEGS	-
WEIGHT	13.04kg



■ black

A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.75"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	29"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.8"	J - UPSWEEP	2°

REVO PRO FS-20 ^{INCH}

FRAME	RADIO "REVO PRO FS 20" frame, full 1020 hi-ten
FORK	RADIO "AM 20" fork, 1020 hi-ten, crmo steerer, welded pivots
BARS	RADIO "REVO PRO FS 20" bar, hi-ten
GRIPS	RADIO "AM" grips, flangeless, 150mm
STEM	SALT "AM" frontload stem, 48mm reach
HEADSET	FSA A-headset, loose ball
GYRO	SALT "AM" rotor with SALT "AM" rotor cables
LEVER	RADIO "AM" brake lever, alloy, front & rear
BRAKES	RADIO "AM" u-brakes, alloy, front & rear
CRANKS	RADIO "ROOKIE" 3pc crank, forged, crmo, 170mm
BB	RADIO "US" bb set, loose ball
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "ROOKIE" sprocket, steel, 25t
DRIVER	cassette driver, 9t
FRONT HUB	RADIO "ROOKIE" hub, steel, lb, 3/8"s, 36h
REAR HUB	RADIO "ROOKIE" cassette hub, steel, lb, 9T, 14mm axle, 36h
FRONT RIM	SALT "AM" rim, straight single wall, 36h
REAR RIM	SALT "AM" rim, straight single wall, 36h
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO seat clamp, slim, alloy
TIRES	RADIO "ROOKIE" tires, 20"x2.2", front & rear
PEGS	-
WEIGHT	13.04kg



fresh mint

A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.75"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	29"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.8"	J - UPSWEEP	2°

DICE-14 INCH

FRAME	RADIO "DICE 14" frame, full 6061 alloy
FORK	RADIO "ROOKIE 14" fork, 1020 hi-ten, tapered legs
BARS	RADIO "ROOKIE 14" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 110mm
STEM	RADIO "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "JUNIOR 14" brake lever, alloy, front & rear
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-V" v-brake, alloy, rear
CRANKS	RADIO "JUNIOR 14" 3pc crank, forged alloy, 114mm
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "ROOKIE" pedals, nylon
CHAIN	KMC "S1" chain
SPROCKET	RADIO "JUNIOR" sprocket, steel, 25t
DRIVER	cassette driver, 10t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 20h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 10t, 3/8"s axle, 20h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "ROOKIE" combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.0", front & rear
PEGS	-
WEIGHT	7.7kg



■ candy red

A - TOP TUBE LENGTH	14.5"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	10.5"		
C - HEAD TUBE ANGLE	74°	G - RISE	6.5"
D - SEAT TUBE ANGLE	73°	H - WIDTH	22.4"
E - BB HEIGHT	8.2"	I - BACKSWEEP	8°
F - STANDOVER HEIGHT	5.75"	J - UPSWEEP	2.5°

DICE-16 INCH

FRAME	RADIO "DICE 16" frame, full 6061 alloy
FORK	RADIO "ROOKIE 16" fork, 1020 hi-ten, tapered legs
BAR	RADIO "ROOKIE 16" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 130mm
STEM	RADIO "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "JUNIOR 16" brake lever, alloy, front & rear
BRAKES	RADIO "AM" caliper brake, alloy, front / RADIO "AM-U" u-brake, alloy, rear
CRANKS	RADIO "JUNIOR 16" 3pc crank, forged alloy, 127mm
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "VP225" pedals, nylon/fiberglass
CHAIN	KMC "S1" chain
SPROCKET	RADIO "JUNIOR" sprocket, steel, 25t
DRIVER	cassette driver, 10t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 28h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 10t, 14mm axle, 28h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "ROOKIE" combo seat
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	8.46kg



■ candy red

A - TOP TUBE LENGTH	16"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	11.1"		
C - HEAD TUBE ANGLE	75°	G - RISE	6.75"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	23.6"
E - BB HEIGHT	9.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.2"	J - UPSWEEP	3°

DICE-18 INCH

FRAME	RADIO "DICE 18" frame, full 6061 alloy
FORK	RADIO "ROOKIE 18" fork, 1020 hi-ten, tapered legs
BARS	RADIO "ROOKIE 18" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 150mm
STEM	RADIO "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 3pc crank, tubular, crmo, 152mm, 8 spline
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "VP536" pedals, nylon/fiberglass
CHAIN	KMC "S1" chain
SPROCKET	RADIO "AM" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	9.86kg



■ matt black

A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.8"	J - UPSWEEP	3°

DICE-18 INCH

FRAME	RADIO "DICE 18" frame, full 6061 alloy
FORK	RADIO "ROOKIE 18" fork, 1020 hi-ten, tapered legs
BAR	RADIO "ROOKIE 18" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 150mm
STEM	RADIO "JUNIOR" topload stem, 40mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 3pc crank, tubular, crmo, 152mm, 8 spline
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "VP536" pedals, nylon/fiberglass
CHAIN	KMC "S1" chain
SPROCKET	RADIO "AM" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.2", front & rear
PEGS	-
WEIGHT	9.86kg



■ candy red

A - TOP TUBE LENGTH	18"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	12.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	7.9"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	26.5"
E - BB HEIGHT	10.75"	I - BACKSWEEP	10°
F - STANDOVER HEIGHT	6.8"	J - UPSWEEP	3°

DICE-20 INCH

FRAME	RADIO "DICE 20" frame, full 6061 alloy
FORK	RADIO "ROOKIE 20" fork, 1020 hi-ten, tapered legs
BAR	RADIO "ROOKIE 20" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 150mm
STEM	RADIO "AM" topload stem, 50mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "VP536" pedals, nylon/fiberglass
CHAIN	KMC "S1" chain
SPROCKET	RADIO "AM" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 28h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	11.02kg



■ matt black

A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	29"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.3"	J - UPSWEEP	2°

DICE-20 INCH

FRAME	RADIO "DICE 20" frame, full 6061 alloy
FORK	RADIO "ROOKIE 20" fork, 1020 hi-ten, tapered legs
BAR	RADIO "ROOKIE 20" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 150mm
STEM	RADIO "AM" topload stem, 50mm reach
HEADSET	FSA A-headset, loose ball
GYRO	-
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	BSA (68) bb set, 19mm, sealed, JIS taper
PEDALS	RADIO "VP536" pedals, nylon/fiberglass
CHAIN	KMC "S1" chain
SPROCKET	RADIO "AM" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 28h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	11.02kg



■ candy red

A - TOP TUBE LENGTH	20"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	29"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	7.3"	J - UPSWEEP	2°

EVOL-20 INCH

FRAME	RADIO "EVOL" frame, crmo top tube, 1020 hi-ten
FORK	RADIO "AM" fork, 1020 hi-ten, crmo steerer, tapered legs
BAR	RADIO "AM 20" bar, 1020 hi-ten
GRIPS	SALT "EX" grips, flangless, 155mm
STEM	RADIO "AM" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "ROOKIE" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "VISION" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "ROOKIE" hub, steel, loose ball, 3/8"s, 36h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "ROOKIE" rim, single wall
REAR RIM	RADIO "ROOKIE" rim, single wall
SEAT	RADIO "CENTURY" combo seat, mid padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	RADIO "ROOKIE" tires, 2.3", front & rear
PEGS	-
WEIGHT	12.25kg



matt sky blue

A - TOP TUBE LENGTH	20.3"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.8"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	29"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	8.25"	J - UPSWEEP	2°

SAIKO-20 INCH

FRAME	RADIO "SAIKO 20" frame, crmo down tube, 1020 hi-ten
FORK	RADIO "SAIKO 20" fork, 1020 hi-ten, crmo steerer, tapered legs
BAR	RADIO "SAIKO" bar, 1020 hi-ten
GRIPS	RADIO "AM" grips, flangless, 150mm
STEM	SALT "PRO" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "VISION" sprocket, steel, 25t
DRIVER	cassette driver, 9t, lb
FRONT HUB	RADIO "AM" hub, alloy, loose ball, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	RADIO "AM" rim, single wall
REAR RIM	RADIO "AM" rim, single wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	SALT "TRACER" tires, 2.35", front & rear
PEGS	-
WEIGHT	11.9kg



■ metallic purple

A - TOP TUBE LENGTH	19.25"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"		
C - HEAD TUBE ANGLE	75°	G - RISE	8.2"
D - SEAT TUBE ANGLE	71.5°	H - WIDTH	28"
E - BB HEIGHT	11.75"	I - BACKSWEEP	11°
F - STANDOVER HEIGHT	8"	J - UPSWEEP	2°

DARKO-20 INCH

FRAME	RADIO "DARKO" frame, crmo top tube & down tube, 1020 hi-ten, removable brake mounts & guides
FORK	RADIO "AM" fork, 1020 hi-ten, crmo steerer, tapered legs
BAR	RADIO "DARKO" bar, 1020 hi-ten
GRIPS	RADIO "AM XL" grips, 160mm
STEM	SALT "PRO" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	RADIO "AM" u-brake, alloy, rear
CRANKS	RADIO "AM" 3pc crank, tubular, crmo, 170mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "VISION" sprocket, steel, 25t
DRIVER	cassette driver, 9t, sealed bearing
FRONT HUB	SALT "AM" hub, alloy, loose ball, 3/8"s male axle, 36h
REAR HUB	RADIO "AM" cassette hub, alloy, semi-sealed, 9t, 14mm axle, 36h
FRONT RIM	SALT "FRACTION" rim, single wall
REAR RIM	SALT "FRACTION" rim, single wall
SEAT	RADIO "CENTURY" combo seat, fat padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.15kg



■ matt black

A - TOP TUBE LENGTH	20.5" / 21"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"	G - RISE	9"
C - HEAD TUBE ANGLE	75°	H - WIDTH	29.5"
D - SEAT TUBE ANGLE	71°	I - BACKSWEEP	12°
E - BB HEIGHT	11.7"	J - UPSWEEP	2°
F - STANDOVER HEIGHT	8.6" / 8.9"		

VALAC-20 INCH

FRAME	RADIO "VALAC" frame, crmo top tube & down tube, crmo chain stays, 1020 hi-ten, removable brake mounts & guides
FORK	RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset
BAR	RADIO "PRO" bar, full crmo
GRIPS	RADIO "AM XL" grips, 160mm
STEM	SALT "ZION" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "VISION" sprocket, steel, 25t
DRIVER	cassette driver, 9t, sealed bearing
FRONT HUB	SALT "EX" hub, alloy, sealed, 3/8"s male axle, 36h, hubguard ready
REAR HUB	SALT "EX" cassette hub, alloy, sealed, 9t, 14mm axle, 36h, hubguard ready
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" combo seat, fat padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.33kg



 black/white fade

A - TOP TUBE LENGTH	20.75"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"	G - RISE	9"
C - HEAD TUBE ANGLE	76°	H - WIDTH	29.5"
D - SEAT TUBE ANGLE	71°	I - BACKSWEEP	12°
E - BB HEIGHT	11.8"	J - UPSWEEP	2°
F - STANDOVER HEIGHT	9"		

ASTRON-20 INCH

FRAME	RADIO "ASTRON" frame, full crmo, removable brake mounts & guides
FORK	RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset
BARS	RADIO "PRO" bar, full crmo
GRIPS	SALT "EX" grips, flangless, 155mm
STEM	SALT "COMP" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	SALT "AM" rotor with SALT "AM" rotor cables
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	RADIO "AM" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "VISION" sprocket, steel, 25t
DRIVER	cassette driver, 9t, sealed bearing
FRONT HUB	RADIO "PRO" hub, alloy, sealed, 3/8"s female axle, 36h
REAR HUB	RADIO "PRO" cassette hub, alloy, sealed, 9t, 14mm hollow axle, 36h
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" combo seat, slim padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS "BURN" tires, 2.30", front & rear
PEGS	-
WEIGHT	12.48kg



A - TOP TUBE LENGTH	20.6"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"	G - RISE	9"
C - HEAD TUBE ANGLE	76°	H - WIDTH	29.5"
D - SEAT TUBE ANGLE	71°	I - BACKSWEEP	12°
E - BB HEIGHT	11.6"	J - UPSWEEP	2°
F - STANDOVER HEIGHT	7.5"		

■ c.p.

COMRAD-20 INCH

FRAME	RADIO "COMRAD" frame, full crmo, removable brake mounts & guides
FORK	RADIO "PRO" fork, full crmo, crmo steerer, 26mm offset
BAR	SALTPLUS "HQ" bar, full crmo, 4pc
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RADIO "AXIS" topload stem, 50mm reach
HEADSET	SALT "PRO" integrated headset, sealed bearing
GYRO	holes for removable gyro tabs
LEVER	RADIO "AM" brake lever, alloy, rear
BRAKES	SALTPLUS "GEO XL" u-brake, alloy, rear
CRANKS	RADIO "PRO" 3pc crank, tubular, crmo, 165mm, 8 spline
BB	RADIO "MID" bb set, press fit, sealed bearing
PEDALS	RADIO "PRO" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RADIO "47" sprocket guard, Leon Hoppe Signature, 6061-T6 alloy, 25T
DRIVER	freecoaster driver, 9t, sealed bearing, RSD
FRONT HUB	SALT "EX" hub, alloy, sealed, 3/8"s female axle, 36h, with x2 SALTPLUS "PRO" nylon hubguards
REAR HUB	SALTPLUS "VERTEX" freecoaster hub, alloy, sealed, 9t, 14mm hollow axle, 36h, with x2 SALTPLUS "PRO" Nylon hubguards
FRONT RIM	SALTPLUS "BRACE" rim, double wall
REAR RIM	SALTPLUS "BRACE" rim, double wall
SEAT	RADIO "CENTURY" combo seat, fat padded
SEAT POST	-
SEAT CLAMP	integrated seat clamp
TIRES	SALTPLUS "BURN" tires, 2.35", front & rear
PEGS	-
WEIGHT	12.65kg



■ matt black


A - TOP TUBE LENGTH	21"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	13.2"	G - RISE	9"
C - HEAD TUBE ANGLE	75.5°	H - WIDTH	29.1"
D - SEAT TUBE ANGLE	71°	I - BACKSWEEP	11°
E - BB HEIGHT	11.7"	J - UPSWEEP	3°
F - STANDOVER HEIGHT	9.25"		

FIEND-26 INCH

FRAME	RADIO "FIEND" frame, 6061-T6 alloy, tapered head tube
FORK	RST "OMEGA T26" fork, 100mm travel
BAR	RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RADIO "DJ" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.57E" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" lever, front & rear
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front & rear
CRANKS	RADIO "PRO" 2pc crank, forged alloy, 170mm, 24mm spindle
BB	RADIO "BSA24" bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	KMC "X8" chain
SPROCKET	RADIO "AM" sprocket, steel, 32t
DRIVER	SUN RACE 12-32t, 8 speed
FRONT HUB	RADIO "AM-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h
REAR HUB	RADIO "AM-DJ" disc cassette hub, alloy, sealed, 3/8"s male axle, 32h
FRONT RIM	RADIO "DB30" rim, double wall
REAR RIM	RADIO "DB30" rim, double wall
SEAT	RADIO "DJ" railed seat
SEAT POST	RADIO "SP53" seat post, micro-adjust, alloy, 300mm
SEAT CLAMP	RADIO "QUICK RELEASE" seat clamp, alloy
TIRES	RADIO "ROOKIE" tires, 2.2", front & rear
PEGS	-
WEIGHT	13.74kg / 30.32lbs



A - TOP TUBE LENGTH	22.3"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15.8"	G - RISE	50mm
C - HEAD TUBE ANGLE	70°	H - WIDTH	740mm
D - SEAT TUBE ANGLE	75°	I - BACKSWEEP	8°
E - BB HEIGHT	25mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	11"		

 candy blue

FIEND-26 INCH

FRAME	RADIO "FIEND" frame, 6061-T6 alloy, tapered head tube
FORK	RST "OMEGA T26" fork, 100mm travel
BAR	RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RADIO "DJ" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.57E" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" lever, front & rear
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front & rear
CRANKS	RADIO "PRO" 2pc crank, forged alloy, 170mm, 24mm spindle
BB	RADIO "BSA24" bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	KMC "X8" chain
SPROCKET	RADIO "AM" sprocket, steel, 32t
DRIVER	SUN RACE 12-32t, 8 speed
FRONT HUB	RADIO "AM-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h
REAR HUB	RADIO "AM-DJ" disc cassette hub, alloy, sealed, 3/8"s male axle, 32h
FRONT RIM	RADIO "DB30" rim, double wall
REAR RIM	RADIO "DB30" rim, double wall
SEAT	RADIO "DJ" railed seat
SEAT POST	RADIO "SP53" seat post, micro-adjust, alloy, 300mm
SEAT CLAMP	RADIO "QUICK RELEASE" seat clamp, alloy
TIRES	RADIO "ROOKIE" tires, 2.2", front & rear
PEGS	-
WEIGHT	13.74kg



■ mystic teal


A - TOP TUBE LENGTH	22.3"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15.8"	G - RISE	50mm
C - HEAD TUBE ANGLE	70°	H - WIDTH	740mm
D - SEAT TUBE ANGLE	75°	I - BACKSWEEP	8°
E - BB HEIGHT	25mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	11"		

GRIFFIN-26 INCH

FRAME	RADIO "GRIFFIN" frame, 6061-T6 alloy, tapered head tube, forged yoke
FORK	RST "DIRT RA" fork, 100mm travel
BAR	RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RADIO "ZOOM" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front lever / TEKTRO "HD-M275" rear lever
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / TEKTRO "HD-M275" hydraulic disc brake, 160mm rotor, rear
CRANKS	SALTPLUS "ULTRA" 3pc crank, TSS, crmo, 170mm, 8 spline
BB	RADIO "BSA19" bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	SALT "GATEWAY" sprocket, alloy, 25t
DRIVER	cassette driver, 10t, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB32" rim, double wall
REAR RIM	RADIO "DB32" rim, double wall
SEAT	RADIO "DJ" combo seat, medium padded
SEAT POST	-
SEAT CLAMP	RADIO "QUICK RELEASE" seat clamp, alloy
TIRES	MAXXIS "DTH" tires, 2.3", front & rear
PEGS	-
WEIGHT	13.01kg / 28.68lbs



A - TOP TUBE LENGTH	22.6"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"	G - RISE	50mm
C - HEAD TUBE ANGLE	69°	H - WIDTH	760mm
D - SEAT TUBE ANGLE	72°	I - BACKSWEEP	8°
E - BB HEIGHT	20mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	11"		

 cobalt green

GRIFFIN-26 INCH

FRAME	RADIO "GRIFFIN" frame, 6061-T6 alloy, tapered head tube, forged yoke
FORK	RST "DIRT RA" fork, 100mm travel
BAR	RADIO "ASURA" bar, 6061-T6 alloy, 31.8mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RADIO "ZOOM" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front lever / TEKTRO "HD-M275" rear lever
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / TEKTRO "HD-M275" hydraulic disc brake, 160mm rotor, rear
CRANKS	SALTPLUS "ULTRA" 3pc crank, TSS, crmo, 170mm, 8 spline
BB	RADIO "BSA19" bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	SALT "GATEWAY" sprocket, alloy, 25t
DRIVER	cassette driver, 10t, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s male axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB32" rim, double wall
REAR RIM	RADIO "DB32" rim, double wall
SEAT	RADIO "DJ" combo seat, medium padded
SEAT POST	-
SEAT CLAMP	RADIO "QUICK RELEASE" seat clamp, alloy
TIRES	MAXXIS "DTH" tires, 2.3", front & rear
PEGS	-
WEIGHT	13.01kg



■ deep purple

A - TOP TUBE LENGTH	22.6"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"	G - RISE	50mm
C - HEAD TUBE ANGLE	69°	H - WIDTH	760mm
D - SEAT TUBE ANGLE	72°	I - BACKSWEEP	8°
E - BB HEIGHT	20mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	11"		

GRIFFIN PRO-26 INCH

FRAME	RADIO "GRIFFIN PRO" frame, 6061-T6 hydroformed & butted alloy, tapered head tube, forged yoke
FORK	MANITOU "CIRCUS EXPERT" fork, 100mm travel
BAR	RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RACE FACE "CHESTER 35" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front lever / SRAM "DB-LVL-A1" rear lever
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / SRAM "DB-LVL-A1" hydraulic disc brake, 160mm rotor, rear
CRANKS	RACE FACE "AEFFECT" crank, alloy, 170mm
BB	RACE FACE "AEFFECT" BSA bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RACE FACE "AEFFECT" sprocket, alloy, 28t
DRIVER	cassette driver, 10t, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 15mm alloy through axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB-T25" rim, double wall, sleeved
REAR RIM	RADIO "DB-T25" rim, double wall, sleeved
SEAT	RADIO "CENTURY" pivotal seat, fat padded
SEAT POST	RADIO "PIVOTAL" seat post, alloy
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	MAXXIS "DTH" tires, 2.3", front & rear
PEGS	-
WEIGHT	11.31kg / 24.94lbs



A - TOP TUBE LENGTH	22.8"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"	G - RISE	50mm
C - HEAD TUBE ANGLE	70°	H - WIDTH	760mm
D - SEAT TUBE ANGLE	70°	I - BACKSWEEP	8°
E - BB HEIGHT	14mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	10.2"		

■ matt black

GRIFFIN PRO-26 INCH

FRAME	RADIO "GRIFFIN PRO" frame, 6061-T6 hydroformed & butted alloy, tapered head tube, forged yoke
FORK	MANITOU "CIRCUS EXPERT" fork, 100mm travel
BAR	RADIO "GRIFFIN" bar, 6061-T6 alloy, 35mm
GRIPS	RADIO "FREQUENCY XL" grips, flangeless, 160mm
STEM	RACE FACE "CHESTER 35" frontload stem, alloy, 40mm reach
HEADSET	FSA "NO.42/ACB-A" integrated A-headset, 1-1/8"-1.5"
GYRO	-
LEVER	TEKTRO "RS-360A" front lever / SRAM "DB-LVL-A1" rear lever
BRAKES	TEKTRO "ARIES" mechanical disc brake, 160mm rotor, front / SRAM "DB-LVL-A1" hydraulic disc brake, 160mm rotor, rear
CRANKS	RACE FACE "AEFFECT" crank, alloy, 170mm
BB	RACE FACE "AEFFECT" BSA bb set, sealed bearing
PEDALS	RADIO "SLIM" pedals, nylon/fiberglass
CHAIN	SALT "AM" chain, WZ1 type
SPROCKET	RACE FACE "AEFFECT" sprocket, alloy, 28t
DRIVER	cassette driver, 10t, sealed bearing
FRONT HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 15mm alloy through axle, 32h
REAR HUB	RADIO "PRO-DJ" disc hub, alloy, sealed, 3/8"s crmo axle, 32h
FRONT RIM	RADIO "DB-T25" rim, double wall, sleeved
REAR RIM	RADIO "DB-T25" rim, double wall, sleeved
SEAT	RADIO "CENTURY" pivotal seat, fat padded
SEAT POST	RADIO "PIVOTAL" seat post, alloy
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	MAXXIS "DTH" tires, 2.3", front & rear
PEGS	-
WEIGHT	11.31kg

A - TOP TUBE LENGTH	22.8"	BAR GEOMETRY	
B - CHAIN STAY LENGTH	15"	G - RISE	50mm
C - HEAD TUBE ANGLE	70°	H - WIDTH	760mm
D - SEAT TUBE ANGLE	70°	I - BACKSWEEP	8°
E - BB HEIGHT	14mm drop	J - UPSWEEP	3°
F - STANDOVER HEIGHT	10.2"		




■ black

INDEX-ZUMA MTB



ZUMA 14" - 16"	—	44 - 45
ZUMA 20"	—	46 - 47
ZUMA 24"	—	48 - 49
ZUMA 24" SUS	—	50 - 51
ZUMA 26"	—	52 - 53
ZUMA 26" SUS	—	54 - 55



ZUMA



RADIO BIKES - ZUMA-Linie

Als RADIO BIKES in den letzten Jahren über den BMX-Bereich hinaus in die Welt des BMXRennsports, der Urban Bikes und neuerdings auch der MTBs expandierte, hat sich unser Grundprinzip, die bestmöglichen Räder zum besten Preis anzubieten, nicht geändert, sondern ist nur noch fokussierter geworden.

Als eine Marke, die sich dafür einsetzt, dass jüngere Fahrer den besten Start in ihre Liebe zum Fahrrad haben, haben wir uns weiter umgesehen und den Markt für Kinder-MTB-Räder entdeckt. Das richtige Fahrrad für Ihr Kind zu haben ist wichtig. Es sollte ein Fahrrad sein, das bequem genug ist, damit es die Grundlagen des Sports erlernen kann, aber auch gut genug ausgestattet ist, damit es wachsen und sich weiterentwickeln kann und nichts es aufhalten kann. Mit dem richtigen Fahrrad beginnt eine Liebesbeziehung, die ein Leben lang hält. Der Kauf eines Fahrrads für Ihr Kind kann entmutigend sein, deshalb haben wir die ZUMAREihe entwickelt, um die Entscheidung zu erleichtern. Die ZUMA-Bikes basieren auf dem Konzept eines MTB-Bikes in Kindergröße. Sie sind unglaublich leicht, haben eine sorgfältig durchdachte Geometrie und wurden speziell für kleinere Fahrer entwickelt, um die perfekte Balance zwischen einem Fahrrad für Kinder, auf dem sie die

Grundlagen erlernen, und einem fortgeschrittenen MTB für Fahrten im Gelände am Wochenende mit den Eltern zu finden.

Mit einer kompletten Größenpalette von 14" für den Einsteiger bis hin zu einem 26"-Rad für den aufstrebenden Rookie gibt es ein ZUMA für jeden Fahrer. Diese sorgfältig spezifizierten Fahrräder verfügen über einen superleichten Aluminiumrahmen und eine Gabel mit doppelwandigen Felgen und kinderspezifischen Aftermarket-Komponenten von PROMAX, KMC, FSA, VEE TIRES und SATORI, so dass sie sich perfekt an die Größe des Fahrers anpassen, aber genauso aussehen, sich anfühlen und fahren wie ein High-End-MTB in Erwachsenengröße.

Die ZUMA-Bikes sind mit lebendigen und wilden neuen Farben und aufregenden, auffälligen Aufklebern versehen, von denen wir sicher sind, dass sie Kinder jeden Alters begeistern und dazu inspirieren werden, jeden Tag aufs Rad zu steigen. Kinder sind die Zukunft, und die ZUMA-Linie ist darauf ausgelegt, ihnen den bestmöglichen Start in diese Zukunft zu ermöglichen...

UVP Preisänderungen vorbehalten.

WHEEL SIZE 14"	RIDER HEIGHT 95-110 _{CM}	AGE 3-5
WHEEL SIZE 16"	RIDER HEIGHT 105-120 _{CM}	AGE 4-7
WHEEL SIZE 20"	RIDER HEIGHT 115-135 _{CM}	AGE 6-10 ²⁸
WHEEL SIZE 24"	RIDER HEIGHT 128-150 _{CM}	AGE 8-12
WHEEL SIZE 26"	RIDER HEIGHT 140-160 _{CM}	AGE 10+

ZUMA-14 INCH

FRAME	RADIO "ZUMA 14" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 14" straight rigid fork, 6061-T6 alloy
BARS	SATORI bar, 6061-T6 alloy, 19mm griptube, 25.4mm bar bore, 1"rise
GRIPS	RADIO "JUNIOR" grips, 100mm, with flange
STEM	RADIO "ZUMA 30" frontload stem, alloy, 30mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-367" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "JUNIOR" 3pc crank, forged alloy, 89mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "JUNIOR" pedals, nylon
CHAIN	KMC chain, S1 type, 1/2" x 1/8"
SPROCKET	RADIO sprocket, steel, 28t
DRIVER	18t freewheel, crmo
FRONT HUB	RADIO disc hub, alloy shell, loose ball, 3/8"s crmo axle, 20h
REAR HUB	RADIO disc hub, alloy shell, for freewheel, sealed, 3/8"s crmo axle, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 1416" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 250mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	7.18kg



■ fresh mint

A - TOP TUBE LENGTH	12"
B - CHAIN STAY LENGTH	10.6"
C - HEAD TUBE ANGLE	70°
D - SEAT TUBE ANGLE	73°
E - BB HEIGHT	7"
F - STANDOVER HEIGHT	4.7"

ZUMA-16 INCH

FRAME	RADIO "ZUMA 16" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 16" straight rigid fork, 6061-T6 alloy
BARS	SATORI bar, 6061-T6 alloy, 19mm grip tube, 25.4mm bar bore, 1" rise
GRIPS	RADIO "JUNIOR" grips, 100mm, with flange
STEM	RADIO "ZUMA 30" frontload stem, alloy, 30mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-367" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "JUNIOR" 3pc crank, forged alloy, 114mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "JUNIOR" pedals, nylon
CHAIN	KMC chain, S1 type, 1/2" x 1/8"
SPROCKET	RADIO sprocket, steel, 28t
DRIVER	16t freewheel, crmo
FRONT HUB	RADIO disc hub, alloy shell, loose ball, 3/8"s crmo axle, 20h
REAR HUB	RADIO disc hub, alloy shell, for freewheel, sealed, 3/8"s crmo axle, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 1416" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 250mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	7.82kg

A - TOP TUBE LENGTH	14.75"
B - CHAIN STAY LENGTH	11.4"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	73°
E - BB HEIGHT	8"
F - STANDOVER HEIGHT	5.8"



cyan blue



turbo green

ZUMA-20 INCH

FRAME	RADIO "ZUMA 20" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 20" straight rigid fork, 6061-T6 alloy
BARS	RADIO "ZUMA 20" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 110mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-367" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 145mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "JUNIOR" pedals, nylon
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 12-28t, 7speed
FRONT HUB	RADIO disc hub, alloy shell, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	9.85kg



■ black

A - TOP TUBE LENGTH	17.3"
B - CHAIN STAY LENGTH	14.75"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	73°
E - BB HEIGHT	10mm drop
F - STANDOVER HEIGHT	7.7"

ZUMA-20 INCH

FRAME	RADIO "ZUMA 20" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 20" straight rigid fork, 6061-T6 alloy
BARS	RADIO "ZUMA 20" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 110mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-367" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 145mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "JUNIOR" pedals, nylon
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 12-28t, 7speed
FRONT HUB	RADIO disc hub, alloy shell, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	9.85kg



yellow

A - TOP TUBE LENGTH	17.3"
B - CHAIN STAY LENGTH	14.75"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	73°
E - BB HEIGHT	10mm drop
F - STANDOVER HEIGHT	7.7"



cyan

ZUMA-24 INCH

FRAME	RADIO "ZUMA 24" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 24" straight rigid fork, 6061-T6 alloy
BARS	RADIO "ZUMA 24" bar, 6061-T6 alloy, 31.8mm bar bore, 1"rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 152mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-34t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	11.28kg



■ black

A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"

ZUMA-24 INCH

FRAME	RADIO "ZUMA 24" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 24" straight rigid fork, 6061-T6 alloy
BAR	RADIO "ZUMA 24" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 152mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-34t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	11.28kg



yellow

A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"

ZUMA-24^{INCH} SUS

FRAME	RADIO "ZUMA 24" frame, 6061-T6 alloy
FORK	RST FIRST-AIR 24 " 80mm travel
BARS	RADIO "ZUMA 24" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	TEKTRO "HD-M275" - hydraulic disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 152mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-34t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, seated, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	KENDA "SMALL BLOCK" tires, 1.95" front & rear
WEIGHT	TBA



■ black

A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"

ZUMA-24 ^{INCH} SUS

FRAME	RADIO "ZUMA 24" frame, 6061-T6 alloy
FORK	RST FIRST-AIR 24 " 80mm travel
BARS	RADIO "ZUMA 24" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	TEKTRO "HD-M275" - hydraulic disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 152mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-34t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 20h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 20h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 2024" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	KENDA "SMALL BLOCK" tires, 1.95" front & rear
WEIGHT	TBA

A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"



cobalt teal



yellow

ZUMA-26 INCH

FRAME	RADIO "ZUMA 26" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 26" straight rigid fork, 6061-T6 alloy
BARS	RADIO "ZUMA 26" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 165mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, with crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-42t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 28h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 28h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 26" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	11.97kg



■ black

A - TOP TUBE LENGTH	20.3"
B - CHAIN STAY LENGTH	16.9"
C - HEAD TUBE ANGLE	68°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	40mm drop
F - STANDOVER HEIGHT	13"

ZUMA-26 INCH

FRAME	RADIO "ZUMA 26" frame, 6061-T6 alloy
FORK	RADIO "ZUMA 26" straight rigid fork, 6061-T6 alloy
BARS	RADIO "ZUMA 26" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	PROMAX "DSK-310" - mechanical disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 165mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, with crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-42t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 28h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 28h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 26" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	VEE TIRE "CROWN GEM" tires, 2.25" front & rear
WEIGHT	11.97kg



■ tingle orange

A - TOP TUBE LENGTH	20.3"
B - CHAIN STAY LENGTH	16.9"
C - HEAD TUBE ANGLE	68°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	40mm drop
F - STANDOVER HEIGHT	13"

ZUMA-26 ^{INCH} SUS

FRAME	RADIO "ZUMA 26" frame, 6061-T6 alloy
FORK	RST FIRST-AIR 26 " 80mm travel
BARS	RADIO "ZUMA 26" bar, 6061-T6 alloy, 31.8mm bar bore, 1" rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	TEKTRO "HD-M275" - hydraulic disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 165mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, with crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-42t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 28h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, seated, QR, 28h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 26" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	KENDA "SMALL BLOCK" tires, 2.1" front & rear
WEIGHT	TBA



■ black

A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"

ZUMA-26 ^{INCH} SUS

FRAME	RADIO "ZUMA 26" frame, 6061-T6 alloy
FORK	RST FIRST-AIR 26 " 80mm travel
BARS	RADIO "ZUMA 26" bar, 6061-T6 alloy, 31.8mm bar bore, 1"rise
GRIPS	RADIO "ZUMA" grips, 130mm, flangeless
STEM	RADIO "ZUMA 45" frontload stem, alloy, 45mm reach
HEADSET	FSA A-headset, loose ball
LEVER	PROMAX "BL-42" lever, alloy
BRAKES	TEKTRO "HD-M275" - hydraulic disc front & rear brake
CRANKS	RADIO "ZUMA" 3pc crank, forged alloy, 165mm length
BB	RADIO bb set, BSA, square taper, sealed bearing
PEDALS	RADIO "ZUMA" pedals, nylon, with crmo axle
CHAIN	KMC chain, Z1 narrow type, 1/2" x 3/32"
SPROCKET	RADIO sprocket, steel, 32t, narrow wide
DRIVER	MICROSHIFT 11-42t, 8speed
FRONT HUB	RADIO disc hub, alloy, loose ball, QR crmo axle, 28h
REAR HUB	RADIO "ZUMA" disc cassette hub, alloy, sealed, QR, 28h
FRONT RIM	RADIO "J25SE" rim, alloy, double wall
REAR RIM	RADIO "J25SE" rim, alloy, double wall
SEAT	RADIO "ZUMA 26" railed seat
SEAT POST	PROMAX "SP-2019" seat post, alloy, multi-adjust, 300mm
SEAT CLAMP	RADIO "SLIM" seat clamp, alloy
TIRES	KENDA "SMALL BLOCK" tires, 2.1" front & rear
WEIGHT	TBA



■ tingle orange


A - TOP TUBE LENGTH	19.3"
B - CHAIN STAY LENGTH	16.14"
C - HEAD TUBE ANGLE	69°
D - SEAT TUBE ANGLE	74°
E - BB HEIGHT	30mm drop
F - STANDOVER HEIGHT	9.2"


RADIO RACELINE

RADIO RACELINE feiert sein 5-jähriges Jubiläum mit einer brandneuen Linie von Komplettträgern. Mit mehreren Weltmeisterschaftssiegen, internationalen Podiumsplätzen und einer Reise, die uns von einer Rookie-Marke zu einem preisgekrönten Werksrennenteam geführt hat, sind wir der Meinung, dass wir unsere Erfahrung und unseren Antrieb in die Entwicklung unserer bisher besten Rennradlinie gesteckt haben.

Für das aktuelle Jahr profitiert unsere komplette Bike-Linie von all den Upgrades und Entwicklungen, die wir in den letzten 5 Jahren in sie gesteckt haben, sowie von einer großzügigen Auswahl an frischen und leuchtenden Farben, mit denen du garantiert aus der Masse herausstechen wirst. Nach dem Input von unseren Teamfahrern, Vertriebspartnern, Geschäften und dem Designteam hier in Köln, Deutschland, haben wir jede einzelne Komponente an unseren Rädern durchgesehen, um sicherzustellen, dass dies zweifellos die besten Rennkomplettträger auf dem Markt sind.

Sie werden einzigartig gestaltete Rahmen in der gesamten Linie finden, mit geschmiedeten Ausfallenden mit Kettenspannern, hydrogeformten Rohren und zusammen mit aktualisierten und aufregenden neuen und lebendigen Grafiken und Farbgebungen. Wir sind begeistert, mit einer brandneuen Bike-Linie in die nächste Saison zu starten und mit einer Menge Schwung und Spannung die Marke in die nächsten 5 Jahre zu führen. Bitte nehmen Sie sich die Zeit und sehen Sie sich unsere bisher zweifellos beste Raceline-Kollektion an!





Cal Strickland for RACING LINE



R
A
C
E
L
I
N
E

RACING LINE



XENONMINI

● black / silver

FRAME	hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts
FORK	crmo fork, 1" butted steerer, crmo fork legs, 23mm offset
BAR	6061-T6 alloy bar
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 115mm length
STEM	RADIO RACELINE "COBALT" toploader stem, ext. 40mm, alloy
HEADSET	RADIO RACELINE integrated headset, sealed, 1"
LEVER	PROMAX "XL-378" brake lever, rear
BRAKES	PROMAX "MV-85" brake, rear
CRANKS	RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc, 140mm length
BB	RADIO RACELINE bb set, BSA square taper, sealed
PEDALS	RADIO RACELINE "XENON JUNIOR" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE sprocket, 38T, alloy
DRIVER	RADIO RACELINE driver, 16T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle
RIMS	RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy
SEAT	RADIO RACELINE "MINI" combo seat
SEAT POST	RADIO RACELINE seat post, 22.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release , alloy
TIRES	TIOGA "POWER-BLOCK" tires, 20" x 1-1/8"
WEIGHT	7.55kg



TOP TUBE LENGTH	17.6"	HEAD TUBE ANGLE	73°	BAR RISE	2.25"	BACKSWEEP	8°
CHAIN STAY LENGTH	13"	SEAT TUBE ANGLE	70°	BAR WIDTH	22.5"	UPSWEEP	2°
BOTTOM BRACKET HEIGHT	10.6"						

XENONJUNIOR

● black / silver

FRAME	hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts
FORK	crmo fork, 1" butted steerer, crmo fork legs, 23mm offset
BAR	6061-T6 alloy bar
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 115mm length
STEM	RADIO RACELINE "COBALT" toploader stem, ext. 40mm, alloy
HEADSET	RADIO RACELINE integrated headset, sealed, 1"
LEVER	PROMAX "XL-378" brake lever, rear
BRAKES	PROMAX "MV-85" brake, rear
CRANKS	RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc, 155mm length
BB	RADIO RACELINE bb set, BSA square taper, sealed
PEDALS	RADIO RACELINE "XENON JUNIOR" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE sprocket, 40T, alloy
DRIVER	RADIO RACELINE driver, 16T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle RADIO
RIMS	RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy
SEAT	RADIO RACELINE "MINI" combo seat
SEAT POST	RADIO RACELINE seat post, 22.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release , alloy
TIRES	TIOGA "POWER-BLOCK" tires, 20" x 1-1/8"
WEIGHT	7.78kg



TOP TUBE LENGTH	18.6"	HEAD TUBE ANGLE	73.5°	BAR RISE	4.25"	BACKSWEEP	8°
CHAIN STAY LENGTH	13.4"	SEAT TUBE ANGLE	71°	BAR WIDTH	24"	UPSWEEP	2°
BOTTOM BRACKET HEIGHT	10.6"						

XENON EXPERT

● black / silver

FRAME	hydroformed 6061-T6 alloy frame, forged & disc brake mount ready dropouts, with int. chaintensioners
FORK	crmo fork, 1-1/8" butted steerer, crmo fork legs, 23mm offset
BAR	6061-T6 alloy bar
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 132mm length
STEM	RADIO RACELINE "COBALT" toploader stem, ext. 50mm, alloy
HEADSET	FSA "No.28" integrated headset, sealed, 1-1/8"
LEVER	PROMAX "XL-378" brake lever, rear
BRAKES	PROMAX "MV-85" brake, rear
CRANKS	RADIO RACELINE "XENON" 3pc crank, forged alloy, cnc machined, 165mm length
BB	RADIO RACELINE bb set, BSA square taper, sealed
PEDALS	RADIO RACELINE "XENON SLIM" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE sprocket, 42T, alloy
DRIVER	RADIO RACELINE driver, 16T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 28T, disc brake cassette, 3/8" crmo axle
RIMS	RACELINE "CLIPPER JUNIOR" rim, sleeved joint, 28H, alloy
SEAT	RADIO RACELINE "XENON" pivotal seat, no padding
SEAT POST	RADIO RACELINE pivotal seat post, 22.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release, alloy
TIRES	TIOGA "POWER-BLOCK" tires, 20" x 1-3/8"
WEIGHT	8.19kg



TOP TUBE LENGTH	19.5"	HEAD TUBE ANGLE	73.5°	BAR RISE	5.75"	BACKSWEEP	8°
CHAIN STAY LENGTH	13.6"	SEAT TUBE ANGLE	71°	BAR WIDTH	24.4"	UPSWEEP	2°
BOTTOM BRACKET HEIGHT	10.8"						

XENONPRO

● black / white

FRAME	hydroformed 6061-T6 alloy frame, tapered headtube, forged & disc brake mount ready dropouts, with int. chaintensioners
FORK	crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset
BAR	4130 crmo bar, seamless
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length
STEM	RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy
HEADSET	RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter
LEVER	PROMAX "XL-373" brake lever, rear
BRAKES	PROMAX "TX-131" brake, rear
CRANKS	RADIO RACELINE, Xenon Pro 2pc., cold forged/cnc, alloy, 175mm length, 24mm spindle
BB	RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed
PEDALS	RADIO RACELINE "XENON SLIM" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE "XENON PRO" sprocket, 43T, alloy
DRIVER	RADIO RACELINE driver, 16T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 32T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 32T, disc brake cassette, 3/8" crmo axle
RIMS	RADIO RACELINE "ARGON PRO" rim, sleeved joint, 32H, alloy
SEAT	RADIO RACELINE "XENON" pivotal seat, no padding
SEAT POST	RADIO RACELINE pivotal seat post, 27.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release, alloy
TIRES	RADIO RACELINE "OXYGEN" tires, front: 20" x 1.75" and rear: 20" x 1.6"
WEIGHT	tba



TOP TUBE LENGTH	20.75"	HEAD TUBE ANGLE	74°	BAR RISE	7.5"	BACKSWEEP	11°
CHAIN STAY LENGTH	14.25"	SEAT TUBE ANGLE	71°	BAR WIDTH	28"	UPSWEEP	3.5°
BOTTOM BRACKET HEIGHT	11.6"						

XENONPRO XL

● black / white

FRAME	hydroformed 6061-T6 alloy frame, tapered headtube, forged & disc brake mount ready dropouts, with int. chaintensioners
FORK	crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset
BAR	4130 crmo bar, seamless
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length
STEM	RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy
HEADSET	RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter
LEVER	PROMAX "XL-373" brake lever, rear
BRAKES	PROMAX "TX-131" brake, rear
CRANKS	RADIO RACELINE, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 180mm length, 24mm spindle
BB	RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed
PEDALS	RADIO RACELINE "XENON SLIM" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE "XENON PRO" sprocket, 44T, alloy
DRIVER	RADIO RACELINE driver, 16T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 36T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 36T, disc brake cassette, 3/8" crmo axle
RIMS	RADIO RACELINE "ARGON PRO" rim, sleeved joint, 36H, alloy
SEAT	RADIO RACELINE "XENON" pivotal seat, no padding
SEAT POST	RADIO RACELINE pivotal seat post, 27.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release, alloy
TIRES	RADIO RACELINE "OXYGEN" tires, front: 20" x 1.75" and rear: 20" x 1.6"
WEIGHT	tba



TOP TUBE LENGTH	21.25"	HEAD TUBE ANGLE	74°	BAR RISE	8.1"	BACKSWEEP	11°
CHAIN STAY LENGTH	14.8"	SEAT TUBE ANGLE	71°	BAR WIDTH	28.25"	UPSWEEP	3.5°
BOTTOM BRACKET HEIGHT	11.6"						

HELIUMCRUISER

● black / gold

FRAME	hydroformed 6061-T6 alloy frame, tapered headtube, forged dropouts, with int. chaintensioners
FORK	crmo fork, 1-1/8" butted steerer, crmo fork legs, 30mm offset
BAR	4130 crmo bar, seamless
GRIPS	RADIO RACELINE "XENON" grips, diamond knurling, clamp on grip, 139mm length
STEM	RADIO RACELINE "XENON PRO" toploader stem, ext. 53mm, cold forged/cnc alloy
HEADSET	RADIO RACELINE "PRO" integrated headset, sealed, threadless, 1-1/8" - 1.5", including fork crown race 1.5"-1 1/8" converter
LEVER	PROMAX "XL-373" brake lever, rear
BRAKES	PROMAX "TX-131" brake, rear
CRANKS	RADIO RACELINE, Xenon Pro, 2pc crank, cold forged/cnc, alloy, 180mm length, 24mm spindle
BB	RADIO RACELINE "BSA24" bb set, external bearing cups, cnc machined, sealed
PEDALS	RADIO RACELINE "XENON SLIM" pedal, alloy
CHAIN	KMC "Z6" chain, 1/2" x 3/32"
SPROCKET	RADIO RACELINE "XENON PRO" sprocket, 41T, alloy
DRIVER	RADIO RACELINE driver, 18T, 1/2"- 3/32", sealed cassette
FRONT HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 36T, 3/8" crmo axle
REAR HUB	RADIO RACELINE "XENON", alloy cnc, fully sealed, 36T, disc brake cassette, 3/8" crmo axle
RIMS	RADIO RACELINE "ARGON PRO" rim, sleeved joint, 36H, alloy
SEAT	RADIO RACELINE "XENON" pivotal seat, no padding
SEAT POST	RADIO RACELINE pivotal seat post, 27.2mm, alloy
SEAT CLAMP	RADIO RACELINE "XENON" seat post, quick-release, alloy
TIRES	TIOGA "POWER-BLOCK" tires, front: 24" x 1.75" and rear: 24" x 1.6"
WEIGHT	10.24kg



TOP TUBE LENGTH	22"	HEAD TUBE ANGLE	74°	BAR RISE	6.1"	BACKSWEEP	8°
CHAIN STAY LENGTH	15.15"	SEAT TUBE ANGLE	71°	BAR WIDTH	26.75"	UPSWEEP	2°
BOTTOM BRACKET HEIGHT	12"						

BRANDS BMX PARTS

ÉCLAT

amslervelo.ch/eclat



SALTPLUS / SALT

amslervelo.ch/salt



BMX / MTB PROTECTION

FUSE PROTECTION

amslervelo.ch/fuse



INHALT

WETHEPEOPLE BMX FREESTYLE 01 - 15

RADIO BMX FREESTYLE/DIRT/MTB 16 - 41

ZUMA by RADIO (KIDS-MTB) 42 - 55

RADIO RACELINE BMX RACE 56 - 63

WETHEPEOPLE

RADIO

RADIO
R A C E L I N E

ZUMA

 **amstler**
est. 1865 — bikes & parts —

SWITZERLAND